

## TABLE OF CONTENTS

---

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>
a	LIST OF ACRONYMS AND ABBREVIATIONS	a-1
ES	EXECUTIVE SUMMARY	ES-1
1	INTRODUCTION	1-1
1.1	Objectives	1-1
1.2	Approach	1-2
2	PROBLEM FORMULATION	2-1
2.1	Environmental Setting and Chemicals of Potential Concern for the Site	2-1
2.1.1	Environmental Setting	2-1
2.1.2	Chemicals of Potential Concern	2-6
2.2	Contaminant Fate and Transport Mechanisms	2-10
2.3	Mechanisms of Ecotoxicity and Ecological Receptors of Concern	2-11
2.4	Complete Exposure Pathways	2-13
2.5	Assessment Endpoints and Measures of Effects	2-14
3	EFFECTS EVALUATION	3-1
3.1	Screening of COPCs for Sediment Quality Benchmarks	3-1
3.2	Screening of COPCs for Sediment Toxicity Relationships	3-2
3.3	No-Observed-Adverse-Effect-Level Toxicity Reference Values for Bioaccumulation	3-6
3.3.1	Critical Body Residues for Aquatic Receptors	3-9
3.3.2	Ingestion Doses for Birds	3-12
4	EXPOSURE EVALUATION FOR BIOACCUMULATION	4-1
4.1	Exposures for Aquatic Receptors	4-1
4.2	Exposures for Bird Receptors	4-2

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>
5	POTENTIAL RISK CALCULATION FOR BIOACCUMULATION	5-1
6	ADEQUACY OF DATA FOR ACHIEVING OBJECTIVES OF THE SRA	6-1
6.1	Adequacy of Chemistry Detection Limits in Sediments for Comparisons to Sediment Quality Benchmarks	6-1
6.2	Adequacy of Negative Controls for Toxicity Measurements in Sediments	6-2
6.3	Adequacy of Chemistry Detection Limits in Wild-Caught Tissue and Sediment Samples for Bioaccumulation HQs Generated With Lowest NOAEL or NOAEL-Equivalent TRVs	6-3
7	POTENTIAL RISK CHARACTERIZATION FOR THE SRA	7-1
7.1	Comparisons of Sediment Concentrations for COPCs to Sediment Quality Benchmarks (i.e., ER-Ls)	7-2
7.2	COPC-Toxicity Relationships in Harborwide Sediments	7-2
7.3	Bioaccumulation HQs and HIs for All Target Receptor Scenarios	7-3
7.4	Designation of COPCs to Be Carried Forward from the SRA to a BERA	7-4
8	SCIENTIFIC MANAGEMENT DECISION POINT (a): STEP 2 OF USEPA 8-STEP GUIDANCE AND USN POLICY EXIT CRITERIA	8-1
9	REFERENCES	9-1

## LIST OF FIGURES

<u>NUMBER</u>	<u>TITLE</u>	<u>PAGE</u>
1-1	Combined USEPA 8-Step/USN Policy for Ecological Risk Assessment for Pearl Harbor Sediments RI/FS	
1-2	Components in USEPA Steps 1 and 2 and USN Tier 1 Screening Risk Assessment (SRA) for Pearl Harbor Sediments RI/FS	
2.1.1-1	Pearl Harbor Study Site	
2.1.2-1	Comparison of total PCB estimates as tPCB - NOAA18 and tPCB - Aroclor for all sediment and whole-body wild-caught tissue samples from Pearl Harbor	
2.2-1	Fate and transport pathways for COPCs to surficial sediments for the Pearl Harbor Sediment RI/FS	
2.4-1	Complete exposure pathways for COPCs from sediments to target ecological receptors for Steps 1 and 2 of the SRA	
3.2-1	Approach for selecting initial subset of 100 sediment samples for chemical measurements for all COPCs based on harborwide toxicity results for 219 sediment samples, potential pollutant sources, and geographic locations of samples	
3.2-2	Decision process for identification of toxicity COPCs to be carried forward from the SRA to a BERA	
3.3.1-1	Identification for lowest appropriate NOAEL TRV for whole-body tissue residues for aquatic receptors of crustacea and fish for Steps 1 and 2 of the SRA	
3.3.2-1	Identification for lowest appropriate NOAEL ingestion dose TRV for birds for Steps 1 and 2 of the SRA	
7.4-1	Process for selecting COPCs to be carried forward from Steps 1 and 2 of the SRA to a subsequent BERA	

## LIST OF TABLES

<u>NUMBER</u>	<u>TITLE</u>	<u>PAGE</u>
2.1.2-1	Summary of Chemicals of Potential Concern (COPCs) for Steps 1 and 2 of the SRA	
2.3-1	Target Bird Receptors with Body Weights and Ingestion Items for Steps 1 and 2 of the SRA	
2.5-1	Assessment Endpoints and Measures of Effects for Evaluation of Step 1 and 2 Screening Ecological Risk for the Pearl Harbor Sediment Study RI/FS	
3.3.1-1	Step 1-2 Screening Level Lowest NOAEL or NOAEL-equivalent TRVs for Crustacea	
3.3.1-2	Step 1-2 Screening Level Lowest NOAEL or NOAEL-equivalent TRVs for Fish	
3.3.2-1	Step 1-2 Screening Level Lowest NOAEL or NOAEL-equivalent TRVs for Birds	
6.1-1	Evaluation of Adequacy of Nondetect Measurements for Individual COPCs in All 219 Sediment Samples for Comparisons to Sediment Quality Benchmarks (ER-Ls) for Steps 1 and 2 of the SRA	
6.2-1	Evaluation of Adequacy of Negative Controls for Toxicity Measurements in All 219 Sediment Samples for Steps 1 and 2 of the SRA	
6.3-1	Evaluation of Adequacy of Maximum Nondetect (nd) Measurements for COPCs for Bioaccumulation HQs in Steps 1 and 2 of the SRA	
7.1-1	Concentration of Chemicals of Potential Concern (COPCs) in 219 Sediment Samples Compared to NOAA ER-L Sediment Quality Benchmarks	
7.2-1	Summary of Sediment Chemistry - Toxicity Correlation Relationship - Results for Amphipod Survival: Harborwide Data Set	
7.2-2	Summary of Sediment Chemistry - Toxicity Correlation Relationship Results for Echinoderm Fertilization: Harborwide Data Set	
7.3-1	Summary of Maximum Bioaccumulation HQs or HIs for All COPCs and All Receptors/Scenarios for Steps 1 and 2 of the SRA	
7.4-1	Summary of Screening Risk Assessment Results for Sediment Quality Benchmarks, Sediment Toxicity Relationship, and Tissue Bioaccumulation	